

Cover Sheet



INSTRUMENT CORPORATION
 4356 COMMUNICATIONS DR.
 NORCROSS, GA 30093-2901 U.S.A.

MSDS VACUUM PUMP OIL (1- L)

REV	REVISION DESCRIPTION	BY	DATE	CHK	REL. NO.	DWN BY	
D	Customer Request for an updated MSDS	SI	09/02/11		110269	ENGR	J. Pittman
C	Revision	JP	07/29/04	JM	040293	ENGR SIG	G. Killip
B	Revision	MD	04/14/03	JM	030227	HR SIG	J. Mocny
A	Submit to Oce 9260 for double side	CB	6/21/01	JP	010320	QA SIG	A. Dovin
-	Formal Release	C.B.	06/08/01	GRK	010309	ES SIG	K. Massengill

SIZE	NUMBER	PAGE
A	004/16003/01MSDS	X of 4

Micromeritics Material Safety Data Sheet

Title : VACUUM PUMP OIL (1- L)
Date of Preparation : 09/02/11

MSDS No. : 004/16003/01MSDS
Revision : D

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: VACUUM PUMP OIL (1- L)

Chemical Formula: (CH₂)_n 20=<n =<40

CAS Number: 8042-47-5

Other Designations:

General Use:

Supplier: Micromeritics Instrument Corp.
4356 Communications Dr.
Norcross, GA 30093-2901 USA

Contact: Human Resources
Phone: (770) 662-3620
Fax: (770) 662-3696

Manufacturer: Inland Vacuum Industries, Churchville, NY 14428 (716) 293-3330

Emergency Phone: (800) 424-9300 (Chemtrex)

Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number	% vol
100% solvent refined technical white petroleum oil	8042-47-5	100%
etc...		

Trace Impurities:

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH
	TWA	STEL	TWA	STEL	TWA	STEL	H IDLH
100% Solvent refined technical white petroleum oil.	none estab.	none estab.	none estab.	none estab.	none estab.	none estab.	None estab.
etc...							

Section 3 - Hazards Identification

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

Potential Health Effects

HMIS

H 1

F 1

R 0

PPE†

†Sec. 8

Primary Entry Routes: Ingestion, inhalation of oil mists. This product is not classified as hazardous.

Target Organs:

Acute Effects : Exposure to oils mists may cause nausea and eye irritation. Detailed studies have not been made, but material is not expected to be dermatitic or a sensitizer.

Inhalation: N/A

Eye: Exposure to oil mists may cause eye irritation.

Skin: N/A

Ingestion: Exposure to oil mists may cause nausea.

Carcinogenicity: IARC, NTP, and OSHA do not list chemical as a carcinogen.

Medical Conditions Aggravated by Long-Term Exposure: N/A

Chronic Effects: Unknown

Section 4 - First Aid Measures

Inhalation: N/A

Eye Contact: Flush with water. Contact a physician!

Skin Contact: Wash with soap and water.

Ingestion: If swallowed, DO NOT induce vomiting.

Contact a physician! Small amounts in mouth may be washed out.

Section 5 - Fire-Fighting Measures

Flash Point: >243°C)

Flash Point Method: COC

Burning Rate: N/A

Autoignition Temperature: N/A

LEL: Unknown

UEL: Unknown

Flammability Classification: 1


Extinguishing Media: Water fog, chemical foam or carbon dioxide. NFPA Class III B material.

Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: N/A

Fire-Fighting Instructions: Wear breathing gear when fighting fires in enclosed spaces; incomplete combustion of this material produces carbon monoxide!

NFPA



Section 6 - Accidental Release Measures

Spill /Leak Procedures:

Small Spills: May be wiped up with a rag.

Large Spills: Large spills should be picked up immediately with an absorbent.

Containment: N/A

Cleanup: N/A

Section 7 - Handling and Storage

Handling Precautions: None known

Storage Requirements: None known

Section 8 - Exposure Controls / Personal Protection

Engineering Controls: None required.

Ventilation: See notes on ventilation below.

Administrative Controls: N/A

Respiratory Protection: See notes on ventilation below.

Protective Clothing/Equipment: Gloves, made of oil-impermeable rubber. Safety Goggles, should have side shields.

Other Protective Equipment: None should be required under normal use.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Appearance and Odor: Transparent, colorless, viscous liquid with a faint petroleum odor.

Vapor Pressure: < .0001 Torr @25°C

Vapor Density (Air=1): Approx. 14

Formula Weight: n/a

Density: n/a

Specific Gravity (H₂O=1, at 4 °C): 0.86

pH: n/a

Water Solubility: Nil

Other Solubilities: n/a

Boiling Point: >300°C

Freezing/Melting Point: n/a

Viscosity: 65 cst @ 40°C

Refractive Index: n/a

Surface Tension: n/a

% Volatile: Nil

Evaporation Rate: Nil

Section 10 - Stability and Reactivity

Stability: VACUUM PUMP OIL (1- L) is stable.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Strong oxidizers.

Conditions to Avoid: Continuous exposure to temperatures > 200°C

Hazardous Decomposition Products: Incomplete combustion may produce carbon monoxide.

Section 11- Toxicological Information

Toxicity Data:

Eye Effects:

Skin Effects:

Acute Inhalation Effects:

US Gov't 8 hr TWA limit for exposure to oil mists is 5 mg per cubic meter.

Acute Dermal LD50: None

Acute Oral Effects:

oral, LD₅₀: mg/kg None known.

Section 12 - Ecological Information

Environmental : When used and/or disposed of as indicated, no adverse environmental effects are foreseen.

Environmental Degradation: Slowly biodegradable in aerobic conditions.

Soil Absorption/Mobility: Non-volatile and insoluble in water.

Section 13 - Disposal Considerations

Disposal: Product and packaging must be disposed of in accordance with Federal, State and local regulations. Material may be returned for reclamation.

Disposal Regulatory Requirements: None.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101):

Shipping Name: n/a

Shipping Symbols: n/a

Hazard Class: Not classified as hazardous for transport by air, sea or road.

ID No.: n/a

Packing Group:

Label:

Special Provisions (172.102):

Section 15 - Regulatory Information

EPA Regulations:

None

Section 16 - Other Information

Prepared By: M. Day

Revision Notes:

Additional Hazard Rating Systems:

Disclaimer: